

## Test Kit Placement Log

**Name & Physical Address of School Being Tested:** Pendleton High School 1800 NW Carden Ave, Pendleton, OR 97801

**Building:** Main Building

**Radon Testing Contact at School:** Ken Lebsock, 541.966.3268

**Name of Individual(s) Performing Testing:**

**Logger:** Ken Lebsock

**Placer:** Ken Lebsock

Room Description (per Floor Plan)	Canister serial #	Date Opened	Time Opened	Date Closed	Time Closed	Type of Test D=detector kit	Test Results
108 Bldg 4	4308645	3/23/2020	8:02 AM	3/26/2020	7:18 AM	D	2.5 pCi/L
104 Bldg 4	4308644	3/23/2020	8:00 AM	3/26/2020	7:18 AM	D	2.6 pCi/L
110 Bldg 4	4308643	3/23/2020	8:00 AM	3/26/2020	7:20 AM	D	2.4 pCi/L
111 Bldg 4	4308642	3/23/2020	7:59 AM	3/26/2020	7:21 AM	D	2.1 pCi/L
112 Bldg 4	4308641	3/23/2020	7:58 AM	3/26/2020	7:24 AM	D	2.8 pCi/L
127 Bldg 4	4308648	3/23/2020	8:07 AM	3/26/2020	7:21 AM	D	4.6 pCi/L
126 Bldg 4	4308646	3/23/2020	8:08 AM	3/26/2020	7:22 AM	D	3.4 pCi/L
125 Bldg 4	4308647	3/23/2020	8:09 AM	3/26/2020	7:23 AM	D	2.8 pCi/L
120 Bldg 4	4308650	3/23/2020	7:54 AM	3/26/2020	7:27 AM	D	3.9 pCi/L
119 Bldg 4	4308640	3/23/2020	7:56 AM	3/26/2020	7:25 AM	D	2.4 pCi/L
122 Bldg 4	4308649	3/23/2020	8:10 AM	3/26/2020	7:26 AM	D	2.6 pCi/L
206 First Floor	4308799	3/23/2020	7:28 AM	3/26/2020	7:06 AM	D	0.5 pCi/L
207 First Floor	4308800	3/23/2020	7:28 AM	3/26/2020	7:05 AM	D	0.8 pCi/L
208 First Floor	4308811	3/23/2020	7:27 AM	3/26/2020	7:04 AM	D	0.5 pCi/L
209 First Floor	4308810	3/23/2020	7:26 AM	3/26/2020	7:01 AM	D	0.6 pCi/L
210 First Floor	4308809	3/23/2020	7:15 AM	3/26/2020	7:00 AM	D	1.0 pCi/L
211 First Floor	4275813	3/23/2020	7:16 AM	3/26/2020	6:56 AM	D	2.1 pCi/L
226 First Floor	4275801	3/23/2020	7:23 AM	3/26/2020	7:03 AM	D	0.7 pCi/L
222 First Floor	4275802	3/23/2020	7:22 AM	3/26/2020	7:02 AM	D	0.5 pCi/L
221 First Floor	4275812	3/23/2020	7:22 AM	3/26/2020	7:01 AM	D	0.9 pCi/L
216 First Floor	4275803	3/23/2020	7:17 AM	3/26/2020	6:59 AM	D	0.9 pCi/L
Attendance Office	4275808	3/23/2020	7:12 AM	3/26/2020	6:56 AM	D	1.9 pCi/L
304 Office	4275798	3/23/2020	7:11 AM	3/26/2020	6:55 AM	D	2.0 pCi/L
323 Office	4275814	3/23/2020	7:06 AM	3/26/2020	6:50 AM	D	2.0 pCi/L
322 Office	4275795	3/23/2020	7:06 AM	3/26/2020	6:49 AM	D	2.0 pCi/L
321 Office	4275791	3/23/2020	7:06 AM	3/26/2020	6:49 AM	D	2.3 pCi/L
319 Office	4275790	3/23/2020	7:08 AM	3/26/2020	6:51 AM	D	2.0 pCi/L
318 Office	4275805	3/23/2020	7:10 AM	3/26/2020	6:49 AM	D	1.9 pCi/L



318 Office	4275788	3/23/2020	7:10 AM	3/26/2020	6:49 AM	Duplicate	2.1 pCi/L
317 Office	4275804	3/23/2020	7:10 AM	3/26/2020	6:52 AM	D	1.9 pCi/L
314 Office	4275789	3/23/2020	7:08 AM	3/26/2020	6:52 AM	D	1.6 pCi/L
431 Warberg	4308667	3/23/2020	7:34 AM	3/26/2020	7:08 AM	D	1.0 pCi/L
431 Warberg	4308666	3/23/2020	7:34 AM	3/26/2020	7:08 AM	D	1.0 pCi/L
431 Warberg	4308665	3/23/2020	7:34 AM	3/26/2020	7:08 AM	D	1.0 pCi/L
431 Warberg	4308664	3/23/2020	7:34 AM	3/26/2020	7:08 AM	D	1.1 pCi/L
431 Warberg	4308661	3/23/2020	7:36 AM	3/26/2020	7:16 AM	Blank	< 0.4 pCi/L
431 Warberg	4308660	3/23/2020	7:36 AM	3/26/2020	7:16 AM	Duplicate	0.9 pCi/L
432 Weight room	4308662	3/23/2020	7:36 AM	3/26/2020	7:10 AM	D	1.2 pCi/L
432 Weight room	4308663	3/23/2020	7:36 AM	3/26/2020	7:10 AM	Duplicate	1.2 pCi/L
409 Girls LR Office	4308659	3/23/2020	7:39 AM	3/26/2020	7:11 AM	D	1.0 pCi/L
410 Training	4308658	3/23/2020	7:40 AM	3/26/2020	7:11 AM	D	1.4 pCi/L
420 Boys LR Office	4308657	3/23/2020	6:42 AM	3/26/2020	7:12 AM	D	2.4 pCi/L
715 Commons	4308653	3/23/2020	7:49 AM	3/26/2020	7:36 AM	D	1.1 pCi/L
715 Commons	4308654	3/23/2020	7:49 AM	3/26/2020	7:34 AM	D	1.3 pCi/L
715 Commons	4308655	3/23/2020	7:49 AM	3/26/2020	7:33 AM	D	1.2 pCi/L
715 Commons	4308652	3/23/2020	7:49 AM	3/26/2020	7:34 AM	Duplicate	1.1 pCi/L
715 Commons	4308651	3/23/2020	7:49 AM	3/26/2020	7:34 AM	Blank	< 0.4 pCi/L
712 Nurse	4308656	3/23/2020	7:45 AM	3/26/2020	7:37 AM	D	1.2 pCi/L
1148 Gold	4308636	3/23/2020	8:15 AM	3/26/2020	7:30 AM	D	1.0 pCi/L
1148 Gold	4308638	3/23/2020	8:15 AM	3/26/2020	7:30 AM	D	0.9 pCi/L
1148 Gold	4308639	3/23/2020	8:15 AM	3/26/2020	7:30 AM	Duplicate	0.9 pCi/L
1148 Gold	4308637	3/23/2020	8:15 AM	3/26/2020	7:30 AM	Blank	< 0.4 pCi/L
1214 Auditorium	4308635	3/23/2020	8:20 AM	3/26/2020	7:45 AM	D	0.6 pCi/L
1214 Auditorium	4308633	3/23/2020	8:20 AM	3/26/2020	7:45 AM	D	0.6 pCi/L
1214 Auditorium	4308634	3/23/2020	8:20 AM	3/26/2020	7:45 AM	Duplicate	0.7 pCi/L
1201 Art	4308624	3/23/2020	8:31 AM	3/26/2020	7:49 AM	D	1.1 pCi/L
1205 Art	4308623	3/23/2020	8:31 AM	3/26/2020	7:50 AM	D	1.3 pCi/L
1234 Music	4308621	3/23/2020	8:29 AM	3/26/2020	7:39 AM	D	1.2 pCi/L
1237 Drafting	4308630	3/23/2020	6:24 AM	3/26/2020	7:40 AM	D	2.0 pCi/L
1243 Bldg 6 room	4308631	3/23/2020	6:24 AM	3/26/2020	7:41 AM	D	1.9 pCi/L
1245 Bldg 6 Room	4308632	3/23/2020	6:23 AM	3/26/2020	7:42 AM	D	1.0 pCi/L
1250 Woodship	4308622	3/23/2020	6:26 AM	3/26/2020	7:44 AM	D	0.6 pCi/L

1254 Metals	4308620	3/23/2020	6:26 AM	3/26/2020	7:43 AM	D	0.5 pCi/L
	4275796	3/23/2020	6:27 AM	3/26/2020	7:43 AM	Spike	14.2 pCi/L
	4275807	3/23/2020	6:28 AM	3/26/2020	7:44 AM	Spike	14.3 pCi/L

ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure Duration:	Area Tested	Result pCi/L
2661149	4308645	03/23/2020 8:02 am - 03/26/2020 7:18 am	Bldg. 4 Room 108	2.5
2661150	4308644	03/23/2020 8:00 am - 03/26/2020 7:18 am	Bldg. 4 Room 104	2.6
2661151	4308643	03/23/2020 8:00 am - 03/26/2020 7:20 am	Bldg. 4 Room 110	2.4
2661152	4308642	03/23/2020 7:59 am - 03/26/2020 7:21 am	Bldg. 4 Room 111	2.1
2661153	4308641	03/23/2020 7:58 am - 03/26/2020 7:24 am	Bldg. 4 Room 112	2.8
2661154	4308648	03/23/2020 8:07 am - 03/26/2020 7:21 am	Bldg. 4 Room 127	4.6
2661155	4308646	03/23/2020 8:08 am - 03/26/2020 7:22 am	Bldg. 4 Room 126	3.4
2661156	4308647	03/23/2020 8:09 am - 03/26/2020 7:23 am	Bldg. 4 Room 125	2.8
2661157	4308650	03/23/2020 7:54 am - 03/26/2020 7:27 am	Bldg. 4 Room 120	3.9
2661158	4308640	03/23/2020 7:56 am - 03/26/2020 7:25 am	Bldg. 4 Room 119	2.4
2661159	4308649	03/23/2020 8:10 am - 03/26/2020 7:26 am	Bldg. 4 Room 122	2.6

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown in this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.



ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure Duration:	Area Tested	Result pCi/L
2661160	4275799	03/23/2020 7:28 am - 03/26/2020 7:06 am	First Floor Room 206	0.5
2661161	4275800	03/23/2020 7:28 am - 03/26/2020 7:05 am	First Floor Room 207	0.8
2661162	4275811	03/23/2020 7:27 am - 03/26/2020 7:04 am	First Floor Room 208	0.5
2661163	4275810	03/23/2020 7:26 am - 03/26/2020 7:01 am	First Floor Room 209	0.6
2661164	4275809	03/23/2020 7:15 am - 03/26/2020 7:00 am	First Floor Room 210	1.0
2661165	4275813	03/23/2020 7:16 am - 03/26/2020 6:56 am	First Floor Room 211	2.1
2661166	4275801	03/23/2020 7:23 am - 03/26/2020 7:03 am	First Floor Room 226	0.7
2661167	4275802	03/23/2020 7:22 am - 03/26/2020 7:02 am	First Floor Room 222	0.5
2661168	4275812	03/23/2020 7:22 am - 03/26/2020 7:01 am	First Floor Room 221	0.9
2661169	4275803	03/23/2020 7:17 am - 03/26/2020 6:59 am	First Floor Room 216	0.9
2661170	4275808	03/23/2020 7:12 am - 03/26/2020 6:56 am	Attendance Office	1.9

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

RELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure	Duration:	Area Tested	Result pCi/L
2661171	4275798	03/23/2020 7:11 am	03/26/2020 6:55 am	Room 304 Office	2.0
2661172	4275814	03/23/2020 7:06 am	03/26/2020 6:50 am	Room 323 Office	2.0
2661173	4275795	03/23/2020 7:06 am	03/26/2020 6:49 am	Room 322 Office	2.0
2661174	4275791	03/23/2020 7:06 am	03/26/2020 6:49 am	Room 321 Office	2.3
2661175	4275790	03/23/2020 7:08 am	03/26/2020 6:51 am	Room 319 Office	2.0
2661176	4275805	03/23/2020 7:10 am	03/26/2020 6:49 am	Room 318 Office	1.9
2661177	4275788	03/23/2020 7:10 am	03/26/2020 6:49 am	Room 318 Office Duplicate	2.1
2661178	4275804	03/23/2020 7:10 am	03/26/2020 6:52 am	Room 317 Office	1.9
2661179	4275789	03/23/2020 7:08 am	03/26/2020 6:52 am	Room 314 Office	1.6
2661180	4308667	03/23/2020 7:34 am	03/26/2020 7:08 am	Room 431 Warberg	1.0
2661181	4308666	03/23/2020 7:34 am	03/26/2020 7:08 am	Room 431 Warberg	1.0

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10%. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown in this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.



ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure Duration:		Area Tested	Result pCi/L
2661182	4308665	03/23/2020 7:34 am	03/26/2020 7:08 am	Room 431 Warberg	1.0
2661183	4308664	03/23/2020 7:34 am	03/26/2020 7:08 am	Room 431 Warberg	1.1
2661184	4308661	03/23/2020 7:36 am	03/26/2020 7:16 am	Room 431 Warberg Blank	< 0.4
2661185	4308660	03/23/2020 7:36 am	03/26/2020 7:16 am	Room 431 Warberg Duplicate	0.9
2661186	4308662	03/23/2020 7:36 am	03/26/2020 7:10 am	Room 432 Weight Room	1.2
2661187	4308663	03/23/2020 7:36 am	03/26/2020 7:10 am	Room 432 Weight Room Duplicate	1.2
2661188	4308659	03/23/2020 7:39 am	03/26/2020 7:11 am	Room 409 Girls Locker Room Office	1.0
2661189	4308658	03/23/2020 7:40 am	03/26/2020 7:11 am	Room 410 Training	1.4
2661190	4308657	03/23/2020 6:42 am	03/26/2020 7:12 am	Room 420 Boys Locker Room Office	2.4
2661191	4308653	03/23/2020 7:49 am	03/26/2020 7:36 am	Room 715 Commons	1.1
2661192	4308654	03/23/2020 7:49 am	03/26/2020 7:34 am	Room 715 Commons	1.3

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is ~+/- 10%. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown in this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure	Duration:	Area Tested	Result pCi/L
2661193	4308655	03/23/2020 7:49 am	03/26/2020 7:33 am	Room 715 Commons	1.2
2661194	4308652	03/23/2020 7:49 am	03/26/2020 7:34 am	Room 715 Commons Duplicate	1.1
2661195	4308651	03/23/2020 7:49 am	03/26/2020 7:34 am	Room 715 Commons Blank	< 0.4
2661196	4308656	03/23/2020 7:45 am	03/26/2020 7:37 am	Room 712 Nurse	1.2
2661197	4308636	03/23/2020 8:15 am	03/26/2020 7:30 am	Room 1148 Gold	1.0
2661198	4308638	03/23/2020 8:15 am	03/26/2020 7:30 am	Room 1148 Gold	0.9
2661199	4308639	03/23/2020 8:15 am	03/26/2020 7:30 am	Room 1148 Gold Duplicate	0.9
2661200	4308637	03/23/2020 8:15 am	03/26/2020 7:30 am	Room 1148 Gold Blank	< 0.4
2661201	4308635	03/23/2020 8:20 am	03/26/2020 7:45 am	Room 1214 Auditorium	0.6
2661202	4308633	03/23/2020 8:20 am	03/26/2020 7:45 am	Room 1214 Auditorium	0.6
2661203	4308634	03/23/2020 8:20 am	03/26/2020 7:45 am	Room 1214 Auditorium Duplicate	0.7


**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10%. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown in this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.



NELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801

Pendleton High School  
1800 Northwest Carden Avenue  
Pendleton OR 97801


Log Number	Device Number	Test Exposure	Duration:	Area Tested	Result pCi/L
2661204	4308624	03/23/2020 8:31 am	03/26/2020 7:49 am	Room 1201 Art	1.1
2661205	4308623	03/23/2020 8:31 am	03/26/2020 7:50 am	Room 1205 Art	1.3
2661206	4308621	03/23/2020 8:29 am	03/26/2020 7:39 am	Room 1234 Music	1.2
2661207	4308630	03/23/2020 6:24 am	03/26/2020 7:40 am	Room 1237 Drafting	2.0
2661208	4308631	03/23/2020 6:24 am	03/26/2020 7:41 am	Bldg. 6 Room 1243	1.9
2661209	4308632	03/23/2020 6:23 am	03/26/2020 7:42 am	Bldg. 6 Room 1245	1.0
2661210	4308622	03/23/2020 6:26 am	03/26/2020 7:44 am	Room 1250 Woodshop	0.6
2661211	4308620	03/23/2020 6:26 am	03/26/2020 7:43 am	Room 1254 Metals	0.5
2661212	4275796	03/23/2020 6:27 am	03/26/2020 7:43 am	Spike	14.2
2661213	4275807	03/23/2020 6:28 am	03/26/2020 7:44 am	Spike	14.3


**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

## Test Kit Placement Log

**Name & Physical Address of School Being Tested:** Pendleton Technology & Trades Center 1700 NW 15th Drive, Pendleton, OR 97801

**Building:** Main Building

**Radon Testing Contact at School:** Ken Lebsock, 541.966.3268

**Name of Individual(s) Performing Testing:**

**Logger:** Ken Lebsock

**Placer:** Ken Lebsock

Room Description (per Floor Plan)	Canister serial #	Date Opened	Time Opened	Date Closed	Time Closed	Type of Test D=detector kit	Test Results
104 Kitchen	4275797	3/23/2020	6:34 AM	3/26/2020	6:33 AM	D	0.7 pCi/L
107 Culinary Class	4275792	3/23/2020	6:33 AM	3/26/2020	6:33 AM	D	0.6 pCi/L
103 Dining	4275786	3/23/2020	6:33 AM	3/26/2020	6:32 AM	D	0.5 pCi/L
114 Office	4275782	3/23/2020	6:37 AM	3/26/2020	6:29 AM	D	1.2 pCi/L
112 Office	4275781	3/23/2020	6:38 AM	3/26/2020	6:29 AM	D	0.8 pCi/L
113 Office	4275780	3/23/2020	6:39 AM	3/26/2020	6:29 AM	D	1.5 pCi/L
117 Classroom	4275778	3/23/2020	6:42 AM	3/26/2020	6:35 AM	D	0.9 pCi/L
118 Classroom	4275779	3/23/2020	6:44 AM	3/26/2020	6:36 AM	D	0.5 pCi/L
118 Classroom	4275785	3/23/2020	6:44 AM	3/26/2020	6:36 AM	Duplicate	0.8 pCi/L
118 Classroom	4275783	3/23/2020	6:44 AM	3/26/2020	6:36 AM	Blank	< 0.4 pCi/L
119 Classroom	4275777	3/23/2020	6:45 AM	3/26/2020	6:37 AM	D	0.8 pCi/L
131 GED	4275784	3/23/2020	6:46 AM	3/26/2020	6:39 AM	D	0.5 pCi/L
132 Staff Room	4275776	3/23/2020	6:47 AM	3/26/2020	6:38 AM	D	0.5 pCi/L
136 Student Lounge	4275787	3/23/2020	6:48 AM	3/26/2020	6:37 AM	D	0.5 pCi/L
128 Library	4275793	3/23/2020	6:50 AM	3/26/2020	6:39 AM	D	< 0.4 pCi/L
128 Library	4275794	3/23/2020	6:50 AM	3/26/2020	6:39 AM	Duplicate	< 0.4 pCi/L
	4275806	3/23/2020	7:00 AM	3/26/2020	6:40 AM	Spike	14.3 pCi/L



RELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton Technology and Trades Center  
1700 Northwest 15th Drive  
Pendleton OR 97801

Pendleton Technology and Trades Center  
1700 Northwest 15th Drive  
Pendleton OR 97801


Log Number	Device Number	Test Exposure Duration:	Area Tested	Result pCi/L
2661218	4275797	03/23/2020 6:34 am - 03/26/2020 6:33 am	Room 104 Kitchen	0.7
2661219	4275792	03/23/2020 6:33 am - 03/26/2020 6:33 am	Room 107 Culinary Class	0.6
2661220	4275786	03/23/2020 6:33 am - 03/26/2020 6:32 am	Room 103 Dining	0.5
2661221	4275782	03/23/2020 6:37 am - 03/26/2020 6:29 am	Room 114 Office	1.2
2661222	4275781	03/23/2020 6:38 am - 03/26/2020 6:29 am	Room 112 Office	0.8
2661223	4275780	03/23/2020 6:39 am - 03/26/2020 6:29 am	Room 113 Office	1.5
2661224	4275778	03/23/2020 6:42 am - 03/26/2020 6:35 am	117 Classroom	0.9
2661225	4275779	03/23/2020 6:44 am - 03/26/2020 6:36 am	118 Classroom	0.5
2661226	4275785	03/23/2020 6:44 am - 03/26/2020 6:36 am	118 Classroom Duplicate	0.8
2661227	4275783	03/23/2020 6:44 am - 03/26/2020 6:36 am	118 Classroom Blank	< 0.4
2661228	4275777	03/23/2020 6:45 am - 03/26/2020 6:37 am	119 Classroom	0.8

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

Shawn Price, Director of Laboratory Operations, AccuStar Labs

**Disclaimer:**

The uncertainty of this radon measurement is ~+/- 10 %. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.

ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton Technology and Trades Center  
1700 Northwest 15th Drive  
Pendleton OR 97801

Pendleton Technology and Trades Center  
1700 Northwest 15th Drive  
Pendleton OR 97801


Log Number	Device Number	Test Exposure Duration:		Area Tested	Result pCi/L
2661229	4275784	03/23/2020 6:46 am	03/26/2020 6:39 am	Room 131 GED	0.5
2661230	4275776	03/23/2020 6:47 am	03/26/2020 6:38 am	Room 132 Staff Room	0.5
2661231	4275787	03/23/2020 6:48 am	03/26/2020 6:37 am	Room 136 Student Lounge	0.5
2661232	4275793	03/23/2020 6:50 am	03/26/2020 6:39 am	Room 128 Library	< 0.4
2661233	4275794	03/23/2020 6:50 am	03/26/2020 6:39 am	Room 128 Library Duplicate	< 0.4
2661234	4275806	03/23/2020 7:00 am	03/26/2020 6:40 am	Spike	14.3

**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

**Disclaimer:**

Shawn Price, Director of Laboratory Operations, AccuStar Labs

The uncertainty of this radon measurement is ~+/- 10%. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown on this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.



## Test Kit Placement Log

**Name & Physical Address of School Being Tested:** Pendleton Early Learning Center - 455 SW 13th Street, Pendleton, OR 97801

**Building:** Main Building

**Radon Testing Contact at School:** Ken Lebsock, 541.966.3268

**Name of Individual(s) Performing Testing:**

**Logger:** Ken Lebsock

**Placer:** Ken Lebsock

Room Description (per Floor Plan)	Canister serial #	Date Opened	Time Opened	Date Closed	Time Closed	Type of Test D=detector kit	Test Results
127	4308625	3/23/2020	8:40 AM	3/26/2020	8:13 AM	D	6.8 pCi/L
141	4308627	3/23/2020	8:42 AM	3/26/2020	8:09 AM	D	3.8 pCi/L
142	4308628	3/23/2020	8:40 AM	3/26/2020	8:09 AM	<del>Duplicate</del> D	12.0 pCi/L
173	4308626	3/23/2020	8:44 AM	3/26/2020	8:11 AM	D	9.7 pCi/L

ELAC NY 11769  
NRPP 103216 AL  
NRSB ARL0017

EPA Method #402-R-92-004  
Liquid Scintillation  
NRPP Device Code 8088  
NRSB Device Code 12193

Laboratory Report for:

Property Tested:

Pendleton Early Learning Center  
455 Southwest 13th Street  
Pendleton OR 97801

Pendleton Early Learning Center  
455 Southwest 13th Street  
Pendleton OR 97801


Log Number	Device Number	Test Exposure	Duration:	Area Tested	Result pCi/L
2661214	4308625	03/23/2020 8:40 am	03/26/2020 8:13 am	Room 127	6.8
2661215	4308627	03/23/2020 8:42 am	03/26/2020 8:09 am	Room 141	3.8
2661216	4308628	03/23/2020 8:40 am	03/26/2020 8:09 am	Room 142 Duplicate	12.0
2661217	4308626	03/23/2020 8:44 am	03/26/2020 8:11 am	Room 173	9.7


**Comment:** A copy of this report was emailed to klebsock@pendletonsd.org.

Test Performed By: Ken Lebsock

Distributed by: Inspect USA

Date Received: 03/27/2020    Date Logged: 03/27/2020    Date Analyzed: 03/28/2020    Date Reported: 03/28/2020

Report Reviewed By: 

Report Approved By: 

**Disclaimer:**

The uncertainty of this radon measurement is +/- 10%. Factors contributing to uncertainty include statistical variations, daily and seasonal variations in radon concentrations, sample collection techniques and operation of the dwelling. Interference with test conditions may influence the test results.

This report may only be transferred to a third party in its entirety. Analytical results relate to the samples AS RECEIVED BY THE LABORATORY. Results shown in this report represent levels of radon gas measured between the dates shown in the room or area of the site identified above as "Property Tested". Incorrect information will affect results. The results may not be construed as either predictive or supportive of measurements conducted in any area of this structure at any other time. AccuStar Labs, its employees and agents are not responsible for the consequences of any action taken or not taken based upon the results reported or any verbal or written interpretation of the results.